

CNCGLASS



Vacuum bag sealant tape (yellow) — butyl sealant roll with release liner

CNCGLASS Product Catalog

Sealant Tape for Forming Vacuuming Bags

English

Sealant tape for forming vacuuming bags / vacuum bag sealant tape for glass lamination / composites vacuum bagging.

CNCGLASS | www.cncglass.com

Product List Edition

CNC Ucolin Interlayer Technology Co., Ltd. · SHENZHEN, GD, CHINA

CNCGLASS · Product List / Specifications

Vacuum bag sealant tape (tacky tape) for forming airtight vacuuming bags used in glass lamination and composites vacuum bagging. Available in yellow or black. Standard size: 3 mm × 12 mm × 15 M per roll; 10 rolls per box.

Specifications below. Commercial terms available on request.

Product	Specifications	Packing	Application
Sealant Tape (Yellow or Black)	3 mm × 12 mm × 15 M/roll	10 rolls/box	Vacuum bag forming / glass lamination

Note: Yellow or black color available. Please contact us for commercial terms.

To place an order or request a quotation, please email us at cnc@cncGlass.com. Our sales team will respond promptly with availability and lead time.

CNCGLASS · Datasheet of Sealant Tapes


Technical properties of CNCGLASS vacuum bag sealant tape. Values below are laboratory and standard-test results for reference.

Property	Result	Standard / Note
Heat resistance	Over 150°C	LAB DATA
High temperature resistance	120°C × 12 h; 204°C × 3 h; no flowing, no breaking, no shape changing	HB 5481-91
Low temperature resistance	No breaking at -40°C	HB 5481-91
Penetration, 20°C, 150 g, 5 s, 1/10 mm	66	HB 5481-91
Solid content, 105°C × 3 h	99.90	JC/T 942-2004
Density	1.48 g/cm ³	Relative to water

Datasheet values are typical laboratory results and may vary by batch. Please contact us for the latest test reports.

CNCGLASS · Product Photos


Factory and application photographs of CNCGLASS vacuum bag sealant tape for glass lamination vacuuming bags and composites vacuum bagging.




Sealant tape rolls — black and yellow (3 mm × 12 mm profile)



Yellow sealant tape roll with CNCGLASS packaging



Vacuum bag sealed with yellow sealant tape on process table



Large-panel vacuum bagging — yellow sealant tape perimeter seal



Vacuum bag application — sealant tape edge seal with breather

CNCGLASS · Contact

CNC Ucolin Interlayer Technology Co., Ltd.

Address: SHENZHEN, GD, CHINA

Peter Lin

Email: cnc@cncGlass.com

WhatsApp / Mobile: +86 15013829504

WeChat: wecan365

Website: www.cncglass.com

For quotations, samples, or bulk orders of vacuum bag sealant tape, please contact us by email or WhatsApp.