

PRODUCT CATALOG

Vacuum Bagging Consumables for Laminated Glass & Composites

English

[CNCGlass \(cncglass.com\)](http://cncglass.com) — vacuum bagging consumables for laminated glass and composite processing.

CNC Ucolin Interlayer Technology Co., Ltd.

www.cncglass.com

Peter Lin | cnc@cncGlass.com | WhatsApp/Mobile +86 15013829504 | WeChat wecan365

Contents

1. Breathing Fabric (Breather / Bleeder)
2. Release Film (Perforated Pink)
3. Silicone Tubes
4. Bleeders — Teflon Coated Glassfiber Mesh
5. Payment Information
6. Contact & Ordering

1. Breathing Fabric


Breather / Bleeder Style Fabric

CNC Glass vacuum bagging breather fabric for laminated glass and composite vacuum processes.

White mesh breathing fabric used as a breather / bleeder layer in vacuum bagging.

Model / Item	Spec	EXW Price
Breathing fabric	1500 mm wide × 50 meters long / roll	Contact cnc@cncglass.com

Product photo



If you want to order, please simply send us an email: cnc@cncglass.com

2. Release Film

Perforated Pink Release Film

Perforated release film for vacuum bagging — used between the laminate and breather in laminated glass and composite vacuum processes.

Model / Item	Spec	EXW Price
Release Film (perforated pink)	Thickness 0.03 mm Width 1500 mm Linear length 500 meters/roll High temperature resistance $\geq 150^{\circ}\text{C}$	Contact cnc@cncglass.com

Product photos



Perforated pink film (close-up)



Pink release film rolls

If you want to order, please simply send us an email: cnc@cncglass.com

3. Silicone Tubes

Silicone Vacuum Hose

Flexible silicone vacuum tubing for vacuum bagging lines in laminated glass processing.

Model / Item	Spec	EXW Price
Silicone tube	ID 6 mm / OD 12 mm	Contact cnc@cncglass.com
Silicone tube	ID 9 mm / OD 17 mm	Contact cnc@cncglass.com

Product photo (ID 6 mm × OD 12 mm shown)



If you want to order, please simply send us an email: cnc@cncglass.com

4. Bleeders — Teflon Coated Glassfiber Mesh

PTFE / Teflon Coated Fiberglass Mesh for Silicone Vacuum Bags

PTFE / Teflon coated fiberglass mesh for silicone vacuum bags — used as a bleeder / protector in laminated glass vacuum bagging.


Model	Spec	EXW Price
CNC44	Teflon coated glassfiber mesh	Contact cnc@cncglass.com
CNC44A	Double lined, strengthened in stiffness	Contact cnc@cncglass.com

Features

- MAX Width 4000 mm × any length — available in rolls or exact piece sizes.
- Helps vacuuming and helps avoid congesting valves and clogging.
- Protects silicone blankets from sharp glass edges.
- $\geq 260^{\circ}\text{C}$ continuously heating.

Application context: used with silicone vacuum bags (white / green / blue). Bag prices are not listed in this catalog.

Product samples (CNC44 left / CNC44A right)



If you want to order or learn more about silicone bags, please simply send us an email: cnc@cncglass.com

5. Payment Information

Bank Wire Transfer

Contact cnc@cncglass.com	

PayPal

Field	Details
PayPal	cnc@cncglass.com

6. Contact & Ordering

Item	Details
Brand	CNCGlass
Company (legal)	CNC Ucolin Interlayer Technology Co., Ltd.
Website	www.cncglass.com
Contact	Peter Lin
Email	cnc@cncGlass.com
WhatsApp / Mobile	+86 15013829504
WeChat	wecan365

If you want to order, please simply send us an email: cnc@cncglass.com

— End of catalog —